

Sources of Drinking Water

Both tap water and bottled water may come from groundwater (springs, wells) or surface waters (rivers, lakes, ponds, streams, and reservoirs). As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or from human activity.

We are committed to ensuring the quality of your water. Our water source is a combination of well and surface water. Our 9 wells draw groundwater from the Potomac-Raritan-Magothy aquifer system. We purchase 1.5 million gallons of treated surface water per day from the Marlboro Township Water Utility Division whose source is the Delaware and Raritan Canal via Middlesex Water Company. We also purchase 1.5 millions of gallons of treated surface water per day from Suez Water Matchaponix, whose source is the Matchaponix Brook.

The New Jersey Department of Environmental Protection (NJDEP) has completed and issued Source Water Assessment Reports and Summaries for all public water systems. Further information on the Source Water Assessment Program can be obtained by logging onto the NJDEP's source water assessment web site at www.state. nj.us/dep/swap or by contacting NJDEP's Bureau of Safe Drinking Water at 609.292.5550.

Potential Contaminants

The types of contaminants that may be found in the raw water before it is treated to produce drinking water include:

- Microbial Contaminants (Pathogens), such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic Contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic Chemical Contaminants, including synthetic (SOC) and volatile organic chemicals (VOC), which are the by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Nutrients, including nitrogen and phosphorous, which are compounds, minerals and elements that aid growth and are both naturally occurring and man-made.
- Radioactive Contaminants, which can be naturally occurring or be the result of oil and gas production and mining.
- Radon, which is a colorless, odorless, cancer-causing gas that occurs naturally in the environment. For more information go to http://www.nj.gov/dep/rpp/radon/index.htm or call 800.648.0394.
- Disinfection By-Product Precursors, which are formed when disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (for example leaves) present in surface water.
- In order to ensure that tap water is safe to drink, the Environmental Protection Agency (EPA), and the NJDEP prescribe regulations which limit the amount of certain contaminants in water provided by public water systems and require water suppliers to monitor and treat for potentially harmful contaminants.
- Bottled water is similarly regulated by the Food and Drug Administration and must provide the same protection for public health as tap water.

TERMS AND ABBREVIATIONS

- MCL (Maximum Contaminant Level): the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as
- feasible using the best available treatment technology.
 MCLG (Maximum Contaminant Level Goal): the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
 AL (Action Level): the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- level of a contaminant in drinking water.

- ppb: parts per billion; (comparable to one minute in two thousand years or
- MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence
- water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

 NJRUL (New Jersey Recommended Upper Limit): Secondary standards are non-mandatory guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color and odor. These contaminants are not considered to present a risk to human health. New Jersey has set Recommended Upper Limits for these
- RAA (Running Annual Average): The running yearly average of all results at all sampling sites in the distribution system.

Health/Educational Information

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA Safe Drinking Water Hotline at: 800.426.4791.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Special Consideration Regarding Children, Pregnant Women, Nursing Mothers, and Others: Children may receive a slightly higher amount of a contaminant present in the water than do adults, on a body weight basis, because they may drink a greater amount of water per pound of body weight than do adults. For this reason, reproductive or developmental effects are used for calculating a drinking water standard if these effects occur at lower levels than other health effects of concern. If there is insufficient toxicity information for a chemical (for example, lack of data on reproductive or developmental effects), an extra uncertainty factor may be incorporated into the calculation of the drinking water standard, thus making the standard more stringent, to account for additional uncertainties regarding these effects. In cases of lead and nitrate, effects on infants and children are the health endpoints upon which standards are based.

Turbidity	2016 WATER QUALITY REPORT – GORDON'S CORNER WATER COMPANY – PWSID# NJ1326001									
Total Coliform (6) N	Contaminant			Water/ Marlboro Twp Water Utility			MCLG	MCL	Major Sources in Drinking Water	
Turbidity	MICROBIOLOGICAL CONTAMINANTS									
Max. D. 194	Total Coliform (6)	N		1 positive		# positive	N/A	N/A (TT)	Naturally present in the environment.	
Combined Radium 2x00z28 N 1.03 ND 1.5 pCVIL 0 5 Erosion of natural deposits. Croses Alpha N 3.73 3.8 ND pCVIL 0 15 Erosion of natural deposits. Croses Alpha N 3.58 ND ND ppb NIA 5 Erosion of natural deposits. Rarium N 0.556 ND ND ppb NIA 5 Erosion of natural deposits. Beryllium N 0.052 ND ND ppb 4 4 Discharge of climing values; discharge of climing	Turbidity	N	N/A	100%	100% samples	NTU	0	samples ≥	of water quality. High turbidity can hinder the effectiveness of	
288/288 N 1.13 NU 1.5 PCIL 0 5 Erosin of natural deposits. Gross Alpha N 3.73 3.8 ND pCIL 0 5 Erosin of natural deposits. Arsenic N 0.556 ND ND ppb NIA 5 Erosin of natural deposits, runoff from grids and electrical production waster. Barium N 0.6607 0.576 ND ppm 2 2 Discharge from final refineries and electrical production waster. Beryllium N 0.052 ND ND ppp 4 4 Choising from final refineries and electrical production waster. Beryllium N 0.052 ND ND ppp 4 4 Discharge for minetal refineries and electrical production waster. Copper N 0.052 ND ND ppm 1.3 AL=1.3 Contained formisers from final refineries and electrical production waster. Lead (2) N 2.04 2.02 ND ppb 0 AL=1.3 Coro	RADIOLOGICAL CONTAMINANTS (3)									
Arsenic N 0.556 ND ND ND ppb NA 5 Erosion of natural deposits, runolf from derivated, unmoff from glasse. Barium N 0.697 0.576 ND ppm 2 2 2 Discharge of defilling wastes: discharge from metal refineries at coal-burning factories, discharge from metal refineries at coal-burning factories, discharge from metal refineries at coal-burning factories, discharge from electrical, acrosspace and defense industries. Copper N 0.552 ND ND ND ppm 4 4 4 4 Conscious of natural deposits, runolf from electrical, acrosspace and defense industries. Copper N 0.552 ND ND ND Ppm 1.3 AL=1.3 Correction of natural deposits of natural deposits of the service of natural deposits of the service o		N	1.03	ND	1.5	pCi/L	0	5	Erosion of natural deposits.	
Arsenic N 0.556 ND ND ND ppb NA 5 Erosion of natural deposits, runoff from clarads, runoff from glass and electronics production waster. Barrium N 0.607 0.576 ND ppm 2 2 2 Discharge of drilling wasters discharge from metal refinence; a coal-burning factories, discharge from metal refinence; a coal-burning factories, discharge from electrical, acrospace and defense industries. Copper N 0.552 ND ND ND ppm 1.3 AL=1.3 Corrosion of household plumbing systems; erosion of natural deposits. Copper N 1 90th percentile: 0.24 ppm 1.3 AL=1.3 Corrosion of household plumbing systems; erosion of natural deposits. Nickel N 2.04 2.02 ND ppm 0.4 AL=16 Corrosion of household plumbing systems; erosion of natural deposits. Nitrate (as Nitrogen) N ND 1.0 0.5 ppm 10 10 10 Erosion of natural deposits. Nitrate (as Nitrogen) N ND 1.0 0.5 ppm 10 10 10 Erosion of natural deposits. THI-M (folal rith admonthanes) (A) MAX. LRAA: 40.6, range 2.2 - 46.0 ppm MRDLG M	Gross Alpha	N	3.73	3.8	ND	pCi/L	0	15	Erosion of natural deposits.	
Arsenic N 0.556 ND ND ND ppb N/A 5 morn chards. Funnoff from glass and electronics production wastes. Barium N 0.607 0.576 ND ppm 2 2 2 Discharge of drilling wastes; clickaring from metal refineries; evolved of Antarial deposits. Beryllium N 0.052 ND ND ND ppb 4 4 4		INORGANIC CONTAMINANTS (3)								
Barium	Arsenic	N	0.556	ND	ND	ppb	N/A	5	Erosion of natural deposits, runoff from orchards, runnoff from glass and electronics production waste.	
Beryllium N 0.052 ND ND ND ppb 4 4 coal-burning factories; discharge from electrical, aceropase and defense industries.	Barium	N	0.607	0.576	ND	ppm	2	2	discharge from metal refineries;	
Copper N 0 sites > AL ppm 1.3 AL=13 systems; erosion of natural deposite portential systems; and prosition of natural deposite systems; and prosition of natural deposite systems; and prosition of natural deposite systems; arosion of natural deposite. Nickel N 2.04 2.02 ND ppb N/A N/A Erosion of natural deposite. Nitrate (as Nitrogen) N ND 1.0 0.5 ppm 10 10 Runoff from fertilizer use; leaching from septic tanks, sewage; erosio of natural deposits. Distriction of Notice (1) N ND highest avg: 0.84 ppm MRDL matural deposits. Runoff from fertilizer use; leaching from septic tanks, sewage; erosio of natural deposits. Distriction (1) N N highest avg: 0.84 ppm MRDL matural deposits. Runoff from fertilizer use; leaching from septic tanks, sewage; erosio of natural deposits. Distriction (1) N Max. LRA4: 40.6, range; 0.84 ppm MRDL matural deposits. MRDL matural deposits. MRDL matural deposits. By-product of dinking water disinfection. MRDL matural deposits. By-product of dinking water disinfection. By-product of dinking water disinfection.	Beryllium	N	0.052	ND	ND	ppb	4	4	from electrical, aerospace and	
Nickel N	Copper	N				ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits.	
Nitrate (as Nitrogen) N N N N N N N N N N N N N N N N N N	Lead (2)	N	·			ppb	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits.	
No N	Nickel	N	2.04	2.02	ND	ppb	N/A	N/A	Erosion of natural deposits.	
Chlorine (1) N highest avg: 0.84 ppm MRDLG = 4 MRDL = 4	Nitrate (as Nitrogen)	N	ND	1.0	0.5	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.	
Chlorine (1) N highest avg: 0.34 ppm = 4 = 4 microbes. TTHM (total trihalomethanes) (4) N Max. LRAA: 40.6, range 2.2 - 46.0 ppb N/A 80 By-product of drinking water disinfection. HAAS (Haloacetic acids) (4) N Max. LRAA: 32.7, range 0.0 - 32.7 ppb N/A 60 By-product of drinking water disinfection. UNREGULATED CONTAMINANTS (3)(5) Chlorate (UCMR3) N 130 110 180 ppb N/A N/A Naturally occurring element; runor from industrial waste. Hexavalent chromium (UCMR3) N 0.11 0.16 0.091 ppb N/A N/A Naturally occurring element; runor from industrial waste. Strontium (UCMR3) N 36 120 100 ppb N/A N/A Naturally occurring element; runor from industrial waste. Total Chromium N 0.20 0.35 0.41 ppb N/A N/A Naturally occurring element; runor from industrial waste. Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring element; runor from indistrial waste. SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Matchaponix Brook Typical Sources										
trihalomethanes) (4) N Max. LRAA: 40.6, range 2.2-46.0 ppb N/A 80 disinfection. HAA5 (Haloacetic acids) (4) N Max. LRAA: 32.7, range 0.0 - 32.7 ppb N/A 60 By-product of drinking water disinfection. UNREGULATED CONTAMINANTS (3)(5) Chlorate (UCMR3) N 130 110 180 ppb N/A N/A Naturally occurring element; runor from industrial waste. Hexavalent chromium (UCMR3) N 0.11 0.16 0.091 ppb N/A N/A Naturally occurring element; runor from industrial waste. Strontium (UCMR3) N 36 120 100 ppb N/A N/A Naturally occurring element; runor from from from fertilizer use. Total Chromium N 0.20 0.35 0.41 ppb N/A N/A Naturally occurring element; runor from indistrial waste. Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring element; runor from indistrial waste. SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Matchaponix Brook Typical Sources Microbial pathogens found in surface water throughout the United States.	Chlorine (1)	N		highest avg: 0	ppm	_				
acids) (4) N Max. LRAA: 32.7, range 0.0 - 32.7 ppb N/A 60 disinfection. UNREGULATED CONTAMINANTS (3)(5) Chlorate (UCMR3) N 130 110 180 ppb N/A NA NA Naturally occurring element; runor from industrial waste. Hexavalent chromium (UCMR3) N 0.11 0.16 0.091 ppb N/A N/A NAturally occurring element; runor from industrial waste. Strontium (UCMR3) N 36 120 100 ppb N/A N/A NAturally occurring element; runor from fertilizer use. Total Chromium (UCMR3) N 0.20 0.35 0.41 ppb N/A N/A Naturally occurring element; runor from indistrial waste. Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring element; runor from indistrial waste. SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Matchaponix Brook Cryptosporidium Oocysts/L Microbial pathogens found in surface water throughout the United States.		N	Max. LRAA: 40.6, range 2.2 - 46.0			ppb	N/A	80		
Chlorate (UCMR3) N 130 110 180 ppb N/A N/A NAturally occurring element; runor from industrial waste. Hexavalent chromium (UCMR3) N 0.11 0.16 0.091 ppb N/A N/A N/A NAturally occurring element; runor from industrial waste. Strontium (UCMR3) N 36 120 100 ppb N/A N/A NAturally occurring element; runor from fertilizer use. Total Chromium (UCMR3) N 0.20 0.35 0.41 ppb N/A N/A NAturally occurring element; runor from indistrial waste. Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring element; runor from indistrial waste. SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Naturally occurring elemental met O-0.286 Microbial pathogens found in surface water throughout the United States.		N	Max. I	LRAA: 32.7, rang	e 0.0 - 32.7	ppb	N/A	60	, , .	
Chlorate (OCMR3) N 130 110 180 ppb N/A N/A from industrial waste. Hexavalent chromium (UCMR3) N 0.11 0.16 0.091 ppb N/A N/A N/A Naturally occurring element; runor from industrial waste. Strontium (UCMR3) N 36 120 100 ppb N/A N/A Naturally occurring element; runor from fertilizer use. Total Chromium (UCMR3) N 0.20 0.35 0.41 ppb N/A N/A Naturally occurring element; runor from indistrial waste. Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring element; runor from indistrial waste. SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Matchaponix Brook Typical Sources Microbial pathogens found in surface water throughout the United States.		UNREGULATED CONTAMINANTS (3)(5)								
chromium (UCMR3) N 0.11 0.16 0.091 ppb N/A N/A from industrial waste. Strontium (UCMR3) N 36 120 100 ppb N/A N/A NAturally occurring element; runor from fertilizer use. Total Chromium (UCMR3) N 0.20 0.35 0.41 ppb N/A N/A Naturally occurring element; runor from indistrial waste. Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring elemental met SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Matchaponix Brook Typical Sources Cryptosporidium Oocysts/L Microbial pathogens found in surface water throughout the United States.	Chlorate (UCMR3)	N	130	110	180	ppb	N/A	N/A	Naturally occurring element; runoff from industrial waste.	
Total Chromium (UCMR3) N 0.20 0.35 0.41 ppb N/A N/A from fertilizer use. N Naturally occurring element; runor from indistrial waste. Vanadium N N N N N N N N N N N N N		N	0.11	0.16	0.091	ppb	N/A	N/A	Naturally occurring element; runoff from industrial waste.	
Vanadium N ND 0.20 ND ppb N/A N/A Naturally occurring elemental met	Strontium (UCMR3)	N	36	120	100	ppb	N/A	N/A	Naturally occurring element; runoff from fertilizer use.	
SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE Contaminant Matchaponix Brook Typical Sources Cryptosporidium Occysts/L 0-0.286 Microbial pathogens found in surface water throughout the United States.		N	0.20	0.35	0.41	ppb	N/A	N/A	Naturally occurring element; runoff from indistrial waste.	
Contaminant Matchaponix Brook Typical Sources Cryptosporidium Oocysts/L 0-0.286 Microbial pathogens found in surface water throughout the United States.	Vanadium	N	ND	0.20	ND	ppb	N/A	N/A	Naturally occurring elemental metal.	
Cryptosporidium Oocysts/L 0-0.286 Microbial pathogens found in surface water throughout the United States.	SOURCE WATER PATHOGEN MONITORING — SEE NEXT PAGE									
Oocysts/L Microbial pathogens found in surface water throughout the United States.	Contaminant		Mate	chaponix Brook		Typical Sources				
Giardia Cysts/l 0-0 286				0-0.286		Microbial patho	Microbial pathogens found in surface water throughout the United States.			
*see next page for footnotes	Giardia Cysts/L			0-0.286						

GORDON'S CORNER WATER COMPANY | WATER QUALITY REPORT 2016

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected. The EPA has determined that your water IS SAFE at these levels.

Table Notes

- 1. Compliance is based on running systemwide annual average.
- 2. Special Notice Regarding Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Gordon's Corner Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water is available from the Safe Drinking Water Hotline or at: http://www.epa.gov/safewater/lead.
- The state allows us to monitor for some contaminants less than once per year because the concentration of these do not change frequently. The following data was collected prior to 2016: Inorganics, Gordon's Corner Water Company 2014; Radiologicals, Gordon's Corner Water Company and Suez Water Matchaponix, 2011; UCMR3, Gordon's Corner Water Company, 2013; UCMR3, Suez Water Matchaponix and Marlboro Township, 2014.
- Compliance is based on Location Running Annual Average (LRAA) of quarterly samples at individual sites.
- 5. Gordon's Corner Water Company, Middlesex Water Company and United Water Matchaponix participated in the Unregulated Contaminant Monitoring Rule (UCMR3). Unregulated contaminants are those for which the EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist the EPA and NJDEP in determining the occurrence of unregulated contaminants in drinking water and whether regulation is warranted.
- 6. Beginning April 1, 2016, all water systems are required to comply with the Federal Revised Total Coliform Rule (RTCR) under the RTCR, systems are no longer required to meet an MCL for total coliforms. Detection of total coliforms requires follow up testing and assessments to ensure that there are no sanitary defects in the system.

WATER QUALITY DATA TABLE

The table on the previous page lists all drinking water contaminants detected during the 2016 calendar year. The presence of these contaminants does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data shown in the table represents the highest result found from testing performed on samples of water taken from Jan.1 through Dec.31, 2016. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Also, monitoring waivers for asbestos and synthetic organic chemicals were granted to Gordon's Corner Water by NJDEP for the 2016 calendar year.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC (Centers for Disease Control) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the EPA Safe Drinking Water Hotline at: 800.426.4791.

Cryptosporidium

Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. Although filtration removes Cryptosporidium, the most commonlyused filtration methods cannot guarantee 100 percent removal. Monitoring performed by Suez Water Matchaponix indicates the presence of these organisms in their source water. Current test methods do not allow determination of whether the organisms are viable or if they are capable of causing disease. Ingestion of Cryptosporidium may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immuno-compromised people, infants and small children, and the elderly are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water. The data collected in 2016 is presented in the Source Water Pathogen Monitoring Table on page 3.

GORDON'S CORNER WATER COMPANY

27 Vanderburg Road P.O. Box 145 Marlboro, NJ 07746